
## **Delivering cultural responsive care**

Initiative Type
Service Improvement
Status
Deliver
Added
04 March 2022
Last updated
26 July 2022
URL
https://test.clinicalexcellence.qld.gov.au/improvement-exchange/delivering-cultural-responsive-care
Summary
The PROV-ED STARS initiative promotes a specific technique to optimise the use of topical

anaesthetic gel for effective pain relief of certain skin lacerations, aiming to reduce the need for

It is particularly applicable to the paediatric setting but can also be used in other patient cohorts.

procedural sedation.



- reduced patient length of stays (90 mins vs five to six hours), thereby reducing bed pressures
- less distress to patients and carers
- · cost savings
- · released staff time
- improved staff satisfaction

## **Background**

Nurse practitioner Louise Spooner piloted this technique at The Prince Charles Hospital Children's Emergency Department (ED) in response to the fact that children presenting to ED with lacerations needing suturing often require procedural sedation, and sometimes inter-facility transfer to effectively manage the pain and enable wound closure.

Topical anaesthetic has been widely used for pain reduction in laceration injuries, however it is less commonly used to the extent to replace procedural sedation. A Standing Order was introduced to recommend a specific technique using topical anaesthetic (Laceraine®), accompanied by a staff education campaign.

## **Solutions Implemented**

Following engagement with the PROV-ED Project Team, a toolkit of resources will be provided including:

- generic Standing Order document to be customised for each facility
- staff education video and PowerPoint presentation
- implementation guide

## **Evaluation and Results**

A post-implementation audit at TPCH Children's ED demonstrated a 30% reduction in paediatric patients with a laceration requiring suturing or stapling who underwent procedural sedation. Evaluation under PROV-ED will measure rates of procedural sedation associated with potentially applicable skin lacerations pre- and post-implementation of STARS.

PDF saved 03/04/2025

